

3 ft HDMI to DVI-D Cable - M/M

**Product ID: HDDVIMM3** 



The HDDVIMM3 3 ft HDMI to DVI-D cable enables you to connect a DVI-D video card (or other DVI-D output device) to a display that incorporates HDMI technology. The cable supports bi-directional operation that also allows the reverse configuration, delivering digital video from an HDMI-enabled output to a DVI-D capable display.

A valuable addition to any digital signage, multimedia or home theater application, this high performance cable is designed to provide the best quality picture available through either HDMI technology or DVI digital connections.

This durably constructed HDMI/DVI-D adapter cable is backed by StarTech.com's Lifetime Warranty.

## Certifications, Reports and Compatibility

## **Applications**

- Compatible with HDMI/DVI-capable LCD TVs, LCD Projectors, Plasma TVs, HDTVs, DVD Players and set-top boxes
- Connecting a DVI-D output device (video card, etc.) to an HDMI-enabled monitor/display
- · Connecting an HDMI-capable output device (video card, etc.) to a DVI-D monitor/display

## **Features**

- 1x HDMI male connector
- 1x DVI-D male connector
- Aluminum-Mylar Foil with Braided Shielding



• Molded connectors with strain relief

• High quality construction

Hardware

Warranty Lifetime

Active or Passive Adapter Passive

Connector Plating Gold

Cable Jacket Material PVC - Polyvinyl Chloride

Cable Shield Material Aluminum-Mylar Foil with Braid

Connector(s)

Connector A HDMI (19 pin)

Connector B DVI-D (19 pin)

Physical Characteristics

Color Black

Connector Style Straight

Wire Gauge 28 AWG

Cable Length 36.0 in [91.4 cm]

Product Length 36.0 in [91.4 cm]

Product Width 1.6 in [40.0 mm]

Product Height 0.4 in [10.0 mm]

Weight of Product 3.7 oz [105.0 g]

Packaging Information

Package Quantity 1

Package Length 8.7 in [22.0 cm]

Package Width 7.9 in [20.0 cm]

Package Height 0.0 in [0.5 mm]



	Shipping (Package) Weight	3.7 oz [105.0 g]
What's in the Box		
	Included in Package	3 ft HDMI to DVI-D Cable - M/M

<sup>\*</sup>Product appearance and specifications are subject to change without notice.