

HSM SECURIO Document Shredders

Product Overview



HSM SECURIO document shredders

With the HSM SECURIO document shredders you can expect the highest level of quality. Regardless of whether you have chosen the AF-series with automatic paper feed, the C-series for the small office, the B-series for the workplace or the P-series with IntelligentDrive for professional use: you are on the safe side with shredders from HSM!



Actual zero power consumption in stand-by mode, for the models HSM SECURIO C14, C16 and AF100.



0.1 Watt power consumption in stand-by mode for the document shredders HSM SECURIO C18 to B35 and AF150 to AF500.



ASM

Lifetime warranty on steel cutting rollers in HSM SECURIO document shredders at security levels P-2 to P-5.

3 year warranty for the HSM SECURIO document shredders.



HSM SECURIO document shredders, with the exception of HSM SECURIO AF100, P36i, P40i and P44i, have been awarded the Blue Angel certificate.

HSM produces all document shredders of the HSM SECURIO range in Germany.

· Level indicator through inspection window (from C16 upwards).

· High degree of user safety.

HSM SECURIO C-series document shredders

Space-saving, efficient and secure. The C-series impresses with its appealing compact design and ease of use. Perfect for document shredding at the office or at home.



Special product features:

- · Quiet operation minimizes noise development in the workplace.
- Practical automatic start/stop.



B HSM SECURIO C14



6 HSM SECURIO C16



HSM SECURIO C18



Find out more. Scan the QR code.

Specifications

Easy and convenient emptying.

Model	6 HSM SECURIO C16		7 HSM SECURIO C18		8 HSM SECURIO B22		9 HSM SECURIO B24	
Scope of application	Home / small office	(1-3 persons)	Home / small office	(1-3 persons)	Office (up to 5 persons)		Office (up to 5 persons)	
Cutting type	strip	cross	strip	cross	strip	cross	strip	cross
Cutting size in in / Product number High Security	1/4" / HSM1901 1/8" / HSM1900	5/32" x 1" / HSM1902	1/4" / HSM1911 1/8" / HSM1910	1/8" x 1 1/8" / HSM1913 1/16" x 9/16" / HSM1912	1/4" / HSM1831 1/8" / HSM1830	1/8" x 1 1/8" / HSM1833 1/16" x 9/16" / HSM1832	1/4" / HSM1781 1/8" / HSM1780	3/16" x 1 1/8" / HSM1783 1/16" x 9/16" / HSM1782 1/32" x 7/16" / HSM1785 1/32" x 3/16" / HSM17844
Security level ISO/IEC 21964 (DIN 66399) / Shredder material	P-2/T-2/E-2 ♪ Ø • 3 P-2/T-2/E-2 ♪ Ø • 3	P.4/T-4/E-3/F-1	P.2/0-2/T-2/E-2 DOCT P.2/T-2/E-2 DOCT	P.4/T-4/E-3/F-1 ♪ ℓ • 3 P-5/T-5/E-4/F-2 ♪ ℓ • 3	P2/0-2/T-2/E-2 ♪ Ø ⑦ • 0 P-2/T-2/E-2 ♪ Ø • 0	P-4/T-4/E-3/F-1 ♪ Ø • ₪ P-5/T-5/E-4/F-2 ♪ Ø • ₪	P2/0-2/T-2/E-2 ♪ 健 𝔅 • :: P-2/0-2/T-2/E-2 ♪ 健 𝔅 • :: ♪	P.4/0-3/T.4/E-3/F.1 □ @ @ • P.5/T.5/E-4/F-2 □ @ • P.6/F-3 □ @ P.7/F-3 □ □
Cutting capacity 80 g/m ² in sheets DIN A4	16-18 13-15	6-7	19-20 14-15	10-11 8-9	22-24 16-18	12-14 9-11	28-30 22-24	17-19 11-13 7 7-8
Noise level in dB(A)**	55		55		57		56	
Intake width in in	8.8		9.1		9.4		9.5	
Motor in Watts	160		360		440		500	
Size (H x W x D) in in	17.91 x 14.41 x 10.16		21.34 x 14.37 x 11.02		23.6 x 14.8 x 12.2		23.8 x 12.5 x 15.5	
Weight in Ibs	8.82	9.92	21.6 25.1		26.5 28.6		40 45	
Collection volume in gal	6.6		6.6		8.7		9	

Voltage/frequency: 115 V / 60 Hz, **in idle operation / All specifications are listed without guarantee. Technical and design modifications reserved.

HSM SECURIO AF-series document shredders

Innovative, convenient and time-saving. The autofeed paper shredders of the AF-series with Nanogrip Technology combine functionality and ease of use. For the reliable and easy shredding of stacks of paper and individual sheets of paper.





Lock-and-Go function protects against unauthorized access, HSM SECURIO AF300 and AF500.



HSM SECURIO AF300 and AF500.

Specifications

Special product features:

- Useful dual function: manual paper feeding during autofeed stack processing.
- Light barrier for automatic start/stop (from AF150 upwards).
- Powerful motor for continuous operation (from AF150 upwards).
- Multifunction element for intuitive operation (from AF150 upwards).
- Effortless emptying of the waste container via the removable housing top (AF100).

- · Removable waste container for effortless emptying (AF150 and AF300).
- Convenient removal and emptying of the collecting bag (AF500).
- Paper feed with overload protection reduces paper jams.
- · Mobile on castors (from AF150 upwards).



1 HSM SECURIO AF100

2 3 HSM SECURIO AF150/AF300

4 HSM SECURIO AF500



Find out more. Scan the QR code.

Model	1 HSM SECURIO AF100	2 HSM SECURIO AF150	3 HSM SECURIO AF300	4 HSM SECURIO AF500	5 HSM SECURIO C14		
Scope of application	Home / small office (1-3 pers.)	Office (up to 5 persons)	Office (up to 5 persons)	Office (up to 8 persons)	Home / small office (1-3 persons)		
Cutting type	Cross	cross	cross	cross	strip	cross	
Cutting size in in /	5/32" x 1" / HSM2063	3/16" x 1 1/8" / HSM2083	3/16" x 1 1/8" / HSM2093	3/16" x 1 1/8" / HSM2103	1/8" / HSM2250	5/32" x 1" / HSM2253	
Product number		1/16" x 9/16" / HSM2082	1/16" x 9/16" / HSM2092	1/16" x 9/16" / HSM2102			
		1/32" x 7/16" / HSM2085	1/32" x 7/16" / HSM2095	1/32" x 7/16" / HSM2105			
Security level ISO/IEC 21964 (DIN 66399) . Shredder material*	P-4/T-4/E-3/F-1	P-4/0-3/T-4/E-3/F-1	P-4/O-3/T-4/E-3/F-1	P-4/O-3/T-4/E-3/F-1	P-2/T-2/E-2	P-4/T-4/E-3/F-1	
		P-5/T-5/E-4/F-2 ♪ Ø • ₽	P-5/T-5/E-4/F-2 பி∕∕• 9	P-5/T-5/E-4/F-2 Ď 𝖉 ● ᠑			
		P-6/F-3	P-6/F-3 ⊡ື Ø	P-6/F-3			
Cutting capacity 80 g/m ²	5-6	17-19	17-19	17-19	10-12	5-6	
in sheets DIN A4		11-13	11-13	11-13			
		5-7	5-7	5-7			
Capacity of auto-feed unit*	max. 100 sheets	max. 150 sheets	max. 300 sheets	max. 500 sheets		-	
Noise level in dB(A)**	56	56	56	56	55		
Intake width in in	8.9	9.5	9.5	9.5	8.9		
Motor in Watts	160	500	500	500	145		
Size (H x W x D) in in	24.41 x 14.76 x 10.24	29.13 x 15.5 x 15	32.95 x 15.55 x 17.13	39.45 x 19.6 x 19.3 15.94		x 14.4 x 10.2	
Weight in Ibs	15.43	43.2 / 42.6 / 42.6	45.4 / 44.75 / 54	59.5	8.8	9.9	
Collection volume in gal	6.6	9	9	21.7	5.3		

Voltage/frequency: 115 V / 60 Hz, *Autofeed paper tray is for paper only, **in idle operation / All specifications are listed without guarantee. Technical and design modifications reserved.

HSM SECURIO B-series document shredders

Economical, reliable and versatile. The B-series impresses with its high level of performance and maximum functionality. The product range offers document shredders for the workplace or small working groups of up to eight people.



8 9 HSM SECURIO B22 / B24

10 11 HSM SECURIO B26 / B32



13 HSM SECURIO B35



Find out more. Scan the QR code.





10 HSM SECURIO B26 HSM SECURIO B32 12 HSM SECURIO B34 13 HSM SECURIO B35 Model Scope of application Office (up to 5 persons) Office (up to 5 persons) Large office (up to 8 persons) Large office (up to 8 persons) Cutting type strip cross strip cross strip cross strip cross 3/16" x 1 1/8" / HSM1923 Cutting size in in / 1/4" / HSM180 3/16" x 1 1/8" / HSM1803 1/4" / HSM1821 /16" x 1 1/8" / HSM1823 1/4" / HSM1841 8/16" x 1 1/8" / HSM1843 /4" / HSM192 Product number 1/16" x 9/16" / HSM1822 1/8" / HSM1840 1/8" / HSM1800 1/16" x 9/16" / HSM1802 1/8" / HSM1820 1/16" x 9/16" / HSM1842 1/8" / HSM1920 1/16" x 9/16" / HSM1922 1/32" x 7/16" / HSM1805 1/32" x 7/16" / HSM1825 1/32" x 7/16" / HSM1845 1/32" x 7/16" / HSM1925 **High Security** 1/32" x 3/16" / HSM18244 1/32" x 3/16" / HSM18444 P-2/O-2/T-2/E-2 P-2/O-2/T-2/E-2 P-2/O-2/T-2/E-2 P-2/O-2/T-2/E-2 P-4/O-3/T-4/E-3/F-1 Security level P-4/O-3/T-4/E-3/F-1 P-4/0-3/T-4/E-3/E-1 P-4/0-3/T-4/E-3/E-1 100-ĴØ9•1 100-ĴØØ•1 ISO/IEC 21964 (DIN 66399) / Shredder P-5/T-5/E-4/F-2 P-5/T-5/E-4/F-2 P-2/O-2/T-2/E-2 P-2/O-2/T-2/E-2 P-5/T-5/E-4/F-2 P-2/O-2/T-2/E-2 P-5/T-5/E-4/F-2 P-2/O-2/T-2/E-2)*@*@•• Ĵ*Ø*•• 100 10. material ₿₡₽₽ Ĵø9• P-6/F-3 P-6/F-3 P-6/F-3 P-6/F-3 P-7/F-3 P-7/F-3 Cutting capacity 28-30 17-19 28-30 17-19 35-37 22-24 40-42 24-26 80 g/m² in sheets 28-30 16-18 11-13 22-24 13-15 30-32 11-13 22-24 DIN A4 10 10-12 7-9 Noise level in dB(A)** 55 56 56 56 Intake width in in 11 12.2 122 15.7 Motor in Watts 500 500 590 590 Size (H x W x D) in in 26.6 x 19.6 x 15.6 31.2 x 19.6 x 15.7 33.3 x 21.3 x 17.3 34.25 x 24.3 x 20.67 Weight in Ibs 53.4 58.2 / 58.2 / 60 56 60 72 77 / 77 / 92.5 / 77 106.5 120 21.7 Collection volume in gal 14.5 26.4 34.3

Voltage/frequency: 115 V / 60 Hz, *pending NSA approval (further information on request), **in idle operation / All specifications are listed without guarantee. Technical and design modifications reserved.

e.g. films, foils



HSM SECURIO P-series document shredders

Data destruction at the highest level. The shredders in the Professional series impress with their innovative drive and operating concept IntelligentDrive – up to 40% more performance, intelligent prevention of paper jams and a reduced operating noise level. Perfect for large working groups of up to fifteen people.





Intuitive operation and multi-language menu selection via the 4.3" touch display.



With an integrated automatic oiler for particle cut models, for a consistently high cutting performance.

Special product features:

- Intelligent paper jam prevention.
 The machine recognizes very quickly if too much paper has been fed in and reacts autonomously.
- High degree of energy saving due to stand-by and automatic switch-off.
- Powerful motor for continuous operation.
- Light barrier for automatic start/stop.



The innovative drive and operating concept IntelligentDrive offers the following operating modes:

Silent for particularly quiet operation.

Standard with an optimum throughput rate and low noise level.

Performance for maximum cutting and throughput performance.

- The device automatically switches off if pressure is applied to the safety element.
- Mobile on castors.
- High quality wooden floor cabinet with door.
- Convenient removal and emptying of the collecting bag.



10 10 16 HSM SECURIO P36i / P40i / P44i



Find out more. Scan the QR code.

Model	HSM SECURIO P36i Department (up to 15 persons)		HSM SECURIO P40i Department (up to 15 persons)		HSM SECURIO P44i Department (up to 15 persons)		_ Options Product no. + letter	
Scope of application								
Cutting type	strip	cross	strip	cross	strip	cross		
Cutting size in in / Product number High Security	1/4" / HSM1851 1/8" / HSM1850	3/16" x 1 1/8" / HSM1853 1/16" x 9/16" / HSM1852 1/32" x 7/16" / HSM1855 1/32" x 3/16" / HSM1855	1/4" / HSM1881 1/8" / HSM1880	3/16" x 1 1/8" / HSM1883 1/16" x 9/16" / HSM1883 1/32" x 7/16" / HSM1885 1/32" x 3/16" / HSM1885	1/4" / 1871 1/8" / 1870	3.9 x 40 / HSM1873 1/16" x 9/16" / HSM1872 1/32" x 7/16" / HSM1875 1/32" x 3/16" / HSM1874*	 D Metal detection C Separate CD cutting unit in 	
Security level ISO/IEC 21964 (DIN 66399) / Shredder material	P-2/0-2/T-2/E-2 D 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	P-4/0-3/T-4/E-3/F-1 DODE P-5/T-5/E-4/F-2 DODE P-6/F-3 DO P-7/F-3 D	P-2/0-2/T-2/E-2 D 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	P4/0-3/T4/E-3/F-1 P5/0-4/T-5/E-4/F-2 P6/F-3 P6/F-3 P-7/F-3	P-2/0-2/T-2/E-2 P-2/0-2/T-2/E-2 P-2/0-2/T-2/E-2 P-2/0-2/T-2/E-2 P-2/0-2/T-2/E-2 P-2/0-2/T-2/E-2 P-2/0-2/T-2/E-2 P-2/0-2/T-2/E-2 P-2/0-2/T-2/E-2 P-2/0-2/T-2/E-2 P-2/0-2/T-2/E-2 P-2/0-2/T-2/E-2 P-2/0-2/T-2/E-2 P-2/0-2 P-2 P-2 P-2 P-2 P-2 P-2 P-2 P	P4/0-3/T4/E-3/F-1 P5/0-4/T5/E-4/F-2 P6/F-3 P6/F-3 P-7/F-3	cutting size 1/32" x 3/16" Separate OMDD cutting unit in cutting size 0.08" x 0.08"	
Cutting capacity 80 g/m ² in sheets DIN A4	47-49 37-39	29-31 18-20 11-13 12-14	56-58 44-46	34-36 19-21 13-15 14-16	77-79 61-63	43-45 25-27 17-19 18-20	N Separate OMDD cutting unit + metal detection	
Noise level in dB(A)**	55		55		55			
Intake width in in	13		13		16		_	
Motor in Watts	900		1200		1900			
Size (H x W x D) in in	40.16 x 22.83 x 21.65		40.16 x 23.83 x 21.65		43.5 x 27.56 x 23.31		-	
Weight in Ibs	141	150	147	158		238	-	
Collection volume in gal	38.3		40		55		-	

Voltage/frequency: 115 V / 60 Hz, *pending NSA approval (further information on request), **in standard operation mode (idle operation) / All specifications are listed without guarantee. Technical and design modifications reserved.

HSM – the company

Shredding and Compressing.



Since 1971, HSM has been pursuing a clear strategy – a consistent commitment to "Made in Germany" quality. This product and service quality is the key to our success in both the office technology and environmental technology business sectors. As a specialist in products and services for data protection as well as technologies for improving logistics and recycling processes, HSM is one of the world's leading providers in these sectors.

Inquire now! We are always glad to help.

Head office in Germany:

HSM GmbH + Co. KG · Austraße 1-9 · 88699 Frickingen / Germany Tel. +49 7554 2100-0 · Fax +49 7554 2100-160 info@hsm.eu · www.hsm.eu

E-mail / Hotline:

Gratis Hotline DE, AT, IT, ES, BE, NL, LU Tel. 00800 44 77 77 66

HSM Vertrieb Deutschland deutschland@hsm.eu

HSM Vertrieb Österreich austria@hsm.eu

HSM Vertrieb Schweiz schweiz@hsm.eu

HSM Verkoop België, Nederland, Luxemburg benelux@hsm.eu

HSM Commerciale Italia italia@hsm.eu

HSM Ventas Portugal iberia@hsm.eu

HSM subsidiaries:

HSM Técnica de Oficina y Medioambiente España, S.L.U. Calle de José Echegaray, 10 28100 Alcobendas, Madrid Spain Tel. +34 91 103 4859 Fax +34 91 103 4858 iberia@hsm.eu www.hsm.eu

HSM France SAS Parc de Genève 240, Rue Ferdinand Perrier 69800 Saint-Priest France Tél. +33 472 210580 Fax +33 472 517481 france@hsm.eu www.hsm.eu HSM (UK) Ltd. 14 Attwood Road / Zone 1 Burntwood Business Park Burntwood · Staffordshire WS7 3GJ United Kingdom Tel. +44 1543 272-480 Fax +44 1543 272-080 sales.uk@hsm.eu www.hsm.eu

HSM Polska Sp. z o.o. ul. Emaliowa 28 02-295 Warsaw Polska (Poland) Tel. +48 22 862-2369 Fax +48 22 862-2368 handlowy@hsm.eu www.hsm.eu HSM of America LLC 419 Boot Road Downingtown PA 19335, USA Tel. +1 484 237-2308 +1 800 613-2110 Fax +1 484 237-2309 customerservice@hsm.us info@hsm.us www.hsm.us

HSM China Ltd. Room 504, Building C Hangcheng Guangchang Nanfaxin Town Shunyi District Beijing, PRC, 101300 China Tel. +86 10 61429168 Fax +86 10 61429169 info@hsm-china.cn www.hsm-china.cn

