

This report is for the exclusive use of TÜV Austria's Client and is provided pursuant to the agreement between TÜV Austria and its Client. TÜV Austria's responsibility and liability are limited to the terms and conditions of the agreement. TÜV Austria assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the TÜV Austria name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by TÜV Austria. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under a TÜV Austria certification program.

TÜV AUSTRIA (Shanghai) Co., Ltd.

Room 12D, Orient Century Building, No.345 Xian Xia Road, Shanghai, P/C 200336, P.R. China.

Tel: 86-021- 6235 1826 E-mail: office@cn.tuvaustria.com Web. http://www.tuv-austria.cn

TTRF_SDS_A

Printing date 04/19/2021

Version number 1

Reviewed on 04/19/2021

1 Identification

· Product identifier

SPR Product number:

<u>ITA30031/ITA30032/ITA36175/ITA36176/ITA36177/ITA38089/ITA38090/ITA82952/ITA82955/BSN25050/BSN25051/BSN37500/BSN37501/BSN3750</u> 2/BSN37503/BSN37504/BSN37531/BSN37532/ITA38648/ITA38646/ITA36192/ITA36206/ITA36207/ITA36208/ITA36209/ITA36210

- · Recommended use of the chemical and restrictions on use
- · Application of the substance / the preparation: Writing
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:
- Beifa Group Co.,Ltd. No.68 weiliu road, Xiaogang,Beilun,Ningbo,China. Tel: +86 150 5884 1454/ +86 574 5678 6630 Email:446145233@qq.com Fax: +86 574 5678 6259
- Other US contact point: Not available
- · Further information obtainable from: Beifa Group Co., Ltd.
- Emergency telephone number: Frida Tel: +86 150 5884 1454 Poison Center

Tel: +1 800 222 1222

Remark:

This sample is likely to be classified as article and is out of scope of a SDS as set out in 29 CFR Part 1910.1200. This SDS is generated for client's reference only.

2 Hazard(s) identification

• Classification of the substance or mixture The product is not classified according to OSHA Hazard Communication Standard (29 CFR 1910.1200).

- **Information concerning particular hazards for human and environment:** The product has not to be labeled due to the calculation procedure of OSHA Hazard Communication Standard (29 CFR 1910.1200).
- · Classification system:
- *The classification is according to the latest edition of OSHA Hazard Communication Standard (29 CFR 1910.1200), and extended by company and literature data.*

· Label elements

- · Labelling according to OSHA Hazard Communication Standard (29 CFR 1910.1200)
- · Hazard pictograms Not applicable.
- · Signal word Not applicable.
- · Hazard-determining components of labeling: Not applicable.
- Hazard statements Not applicable.
- *Precautionary statements* Not applicable.
- Hazards not otherwise classified (HNOC) No further relevant information available.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

- · Description:
- Mixture of the substances listed below with nonhazardous additions.
- For the wording of the listed hazard statements refer to Section 16.
- Composition:

composition	
9003-54-7 Styrene-acrylonitrile copolymer	30-40%
9003-56-9 2-Propenenitrile, polymer with 1,3-butadiene and ethenylbenzene	20-30%
9003-07-0 polypropylene	5-15%
	(Contd. on page 2)

Printing date 04/19/2021

Version number 1

Reviewed on 04/19/2021

0002.07.0	1	(Contd. of page 1
	polypropylene	0-15%
7440-50-8	copper	1-3%
100-51-6	Benzyl alcohol	0.01-0.2%
	() <i>Acute Tox. 4, H302; Acute Tox. 4, H332</i>	
57-55-6	1,2-Propanediol	0.001-0.03%
4254-14-2	(R)-(-)-1,2-Propanediol	0.001-0.01%
	() <i>Eye Irrit. 2A, H319</i>	
122-99-6	2-Phenoxyethanol	0.01-0.5%
24969-06-0	Epichlorohydrin homopolymer	0.01-0.1%
25054-06-2	Formaldehyde, polymer with cyclohexanone	0.01-0.1%
102-71-6	Triethanolamine	0.001-0.05%
2429-76-7	Acid Yellow 44	0.001-0.05%
65113-55-5	Solvent Balck 46	0.001-0.05%
1330-38-7	Solvent Blue 38	0.001-0.01%
52080-58-7	C.I. Solvent Violet 8	0.001-0.01%
71077-14-0	Solvent Yellow 47	0.001-0.01%
	 () <i>Acute Tox. 4, H302</i>	
6786-83-0	Solvent Blue 4	0.001-0.01%
	♦ Eye Dam. 1, H318; ♦ Skin Sens. 1B, H317	
509-34-2	Solvent Red 49	0.001-0.05%
	() <i>Acute Tox. 4, H302; Eye Irrit. 2A, H319</i>	

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- Immediately wash with water and soap and rinse thoroughly.
- If skin irritation continues, consult a doctor.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing:
- Rinse out mouth with water.
- Never give anything by mouth to an unconscious person.
- Seek medical treatment.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed* No further relevant information available.

5 Fire-fighting measures

- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture: No further relevant information available.
- · Special protective equipment and precautions for firefighters
- Protective equipment:
- Mouth respiratory protective device. Wear fully protective suit.

(Contd. on page 3)

US/

Printing date 04/19/2021

Version number 1

Reviewed on 04/19/2021

(Contd. of page 2)

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures:
- Ensure adequate ventilation.
- Avoid formation of dust.
- Use respiratory protective device against the effects of fumes/dust/aerosol.
- Avoid contact with eyes.
- Avoid contact with skin.
- Environmental precautions: Do not allow to enter sewers/ surface or groundwater.
- Methods and material for containment and cleaning up:
- Pick up mechanically.
- Dispose contaminated material as waste according to item 13.

7 Handling and storage

· Precautions for safe handling:

- Keep away from heat and direct sunlight.
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of dust.
- Avoid contact with eyes and skin.
- For the general occupational hygienic measures refer to Section 8.
- · Information about protection against explosions and fires: Normal measures for preventive fire protection.
- · Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

8 Exposure controls/personal protection

· Control parameters

· Components	with limit values that require monitoring at the workplace:
7440-50-8 са	pper
PEL (USA)	Long-term value: 1* 0.1** mg/m ³ as Cu *dusts and mists **fume
REL (USA)	Long-term value: 1* 0.1** mg/m ³ as Cu *dusts and mists **fume
TLV (USA)	Long-term value: 1* 0.2** mg/m ³ *dusts and mists; **fume; as Cu
100-51-6 Be	nzyl alcohol
WEEL (USA)	Long-term value: 10 ppm
102-71-6 Tri	ethanolamine
TLV (USA)	Long-term value: 5 mg/m ³
57-55-6 1,2-	Propanediol
WEEL (USA)	Long-term value: 10 mg/m ³
REL (USA): TLV (USA):	nformation Guide to Occupational Exposure Values (OSHA PELs) Guide to Occupational Exposure Values (NIOSH RELs) Guide to Occupational Exposure Values (TLV)): Guide to Occupational Exposure Values (AIHA WEELs)
Additional in	<i>formation:</i> The lists that were valid during the creation were used as basis.

(Contd. on page 4)

Version number 1

Reviewed on 04/19/2021

(Contd. of page 3)

- Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure
- Appropriate engineering controls: See Section 7 for information about design of technical facilities.
- · Personal protective equipment
- · Breathing equipment: Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and General Information	
Appearance:	
Form:	Solid
Color:	Black/blue/red/green/yellow/orange/coffee/pink/violet/light blue
Odor:	Odorless
Odor threshold:	Not available.
pH-value:	Not available.
Change in condition	
Melting point/Melting range:	Not available.
Freezing point:	Not available.
Boiling point/Boiling range:	Not available.
Flash point:	Not available.
Flammability (solid, gaseous):	Not available.
Auto-Ignition temperature:	Not available.
Decomposition temperature:	Not available.
Explosion limits:	
Lower:	Not available.
Upper:	Not available.
Vapor pressure:	Not available.
Density:	Not available.

USA

Printing date 04/19/2021

Version number 1

Reviewed on 04/19/2021

		(Contd. of page 4
Relative density	Not available.	
Vapor density	Not available.	
Evaporation rate	Not available.	
Solubility in / Miscibility with		
Water:	Not available.	
Partition coefficient (n-octan	ol/water): Notavailable.	
Viscosity:		
Dynamic:	Not available.	
Kinematic:	Not available.	
Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No decomposition if used according to specifications.

· Chemical stability Stable under recommended storage conditions.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Acute toxicity

9003-54-7 Styrene-acrylonitrile copolymer

LD50 1,000 mg/kg (mouse) Oral 1,800 mg/kg (rat)

100-51-6 Benzyl alcohol

Oral LD50 1,230 mg/kg (rat)

Dermal LD50 2,000 mg/kg (rabbit)

57-55-6 1,2-Propanediol

LD50 20,000 mg/kg (rat) Oral

Dermal LD50 20,800 mg/kg (rabbit)

122-99-6 2-Phenoxyethanol

Oral LD50 1,260 mg/kg (rat)

Dermal LD50 5,000 mg/kg (rabbit)

· Primary irritant effect

· Skin corrosion/irritation: Irritating effect possible.

· Serious eye damage/irritation: Irritating effect possible.

· Respiratory or skin sensitisation: Sensitization possible.

· Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

9003-54-7 Styrene-acrylonitrile copolymer

3

(Contd. on page 6)

Printing date 04/19/2021

Version number 1

Reviewed on 04/19/2021

(Contd. of page 5)

3

3

9003-07-0 polypropylene

102-71-6 Triethanolamine

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

• Aquatic toxicity: No further relevant information available.

- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	Not applicable.
UN proper shipping name	
DOT, IMDG, IATA	Not applicable.
Transport hazard class(es)	
DOT, IMDG, IATA	
Class	Not applicable.
Packing group	
DOT, IMDG, IATA	Not applicable.
Environmental hazards	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN ''Model Regulation'':	Not applicable.

(Contd. on page 7)

Printing date 04/19/2021

Version number 1

Reviewed on 04/19/2021

(Contd. of page 6)

Safety, health and environmental regulations/legislation specific for the substance or No further relevant information available. Sara	mixture
Section 355 (extremely hazardous substances):	
None of the ingredient is listed.	
Section 313 (Specific toxic chemical listings):	
7440-50-8 copper	
122-99-6 2-Phenoxyethanol	
TSCA (Toxic Substances ControlAct):	
9003-54-7 Styrene-acrylonitrile copolymer	ACTIV
9003-56-9 2-Propenenitrile, polymer with 1,3-butadiene and ethenylbenzene	ACTIV
9003-07-0 polypropylene	ACTIV
7440-50-8 copper	ACTIV
122-99-6 2-Phenoxyethanol	ACTIV
100-51-6 Benzyl alcohol	ACTIV
24969-06-0 Epichlorohydrin homopolymer	ACTIV
25054-06-2 Formaldehyde, polymer with cyclohexanone	ACTIV
102-71-6 Triethanolamine	ACTIV
509-34-2 Solvent Red 49	ACTIV
2429-76-7 Acid Yellow 44	ACTIV
65113-55-5 Solvent Balck 46	ACTIV
57-55-6 1,2-Propanediol	ACTIV
1330-38-7 Solvent Blue 38	ACTIV
6786-83-0 Solvent Blue 4	ACTIV
52080-58-7 C.I. Solvent Violet 8	ACTIV
71077-14-0 Solvent Yellow 47	ACTIV
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
New Jersey Right-to-Know List:	
9003-54-7 Styrene-acrylonitrile copolymer	
7440-50-8 copper	
102-71-6 Triethanolamine	
57-55-6 1,2-Propanediol	
New Jersey Special Hazardous Substance List:	
None of the ingredients is listed.	
Pennsylvania Right-to-Know List:	
7440-50-8 copper	
100-51-6 Benzyl alcohol	
LAND STATE AND DESIDER VERALA ATTACH	

Printing date 04/19/2021

Version number 1

		(Contd. of page
102-71-6	Triethanolamine	
57-55-6	1,2-Propanediol	
· Pennsylva	nia Special Hazardous Substance List:	
7440-50-8	copper	
· Canceroge	nity categories	
· EPA (Env	ironmental Protection Agency):	
7440-50-8	copper	-
· TLV (Thre	eshold Limit Value established by ACGIH):	
None of th	e ingredients is listed.	
· NIOSH-C	a (National Institute for Occupational Safety and Health):	
None of th	e ingredients is listed.	
· National r · Additional	egulations classification according to Decree on Hazardous Materials:	
	egulation Annex XVII Restriction	
See Sectio	n 16 for information about restriction of use.	
None of th	e ingredients is listed.	
· REACH R	egulation Annex XIV Authorisation List	
None of th	e ingredients is listed.	

16 Other information

· Relevant phrases

- H302 Harmful if swallowed.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.

H335 May cause respiratory irritation.

The contents and format of this SDS are in accordance with 29 CFR 1910.1200.

DISCLAIMER OF LIABILITY:

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

· Date of preparation / last revision 04/19/2021 / -

• Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health Acute Tox. 4: Acute toxicity - Category 4 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B

Printing date 04/19/2021

Version number 1

Reviewed on 04/19/2021

STOT SE 3:	: Specific target organ toxicity (single exposure) – Category 3	(Contd. of page 8)
. ******	***********************	*****
End of do	ocument	
		USA